

Report of Analysis

Serial Number: 26-09010

Customer: Best 365 Labs**AZ Lab Sample Number:** 2609010**Address:** 14857 S Concord Park
Drive Bluffdale, UT
84065**Product Name:** Best365Labs TB500/
BPC157 Powered by
MODS-Max 1 oz**Received Date:** 2026-09-01**Lot Number:** BL062625 MFG Date: May 2025

Serving Size: 1 mL (20 drops)

Analyte	Method	Test Date	Value
S. Aureus	<USP 2022>	09/04/2026	<10 cfu/g
Coliform/E. coli	<USP 2022>	09/04/2026	<10/<10 cfu/g
Salmonella	<USP 2022>	09/04/2026	Negative
Total Plate Count	AOAC 990.12	09/04/2026	<10 cfu/g
Yeast/Mold	AOAC 997.02	09/04/2026	<10/<10 cfu/g
As	AZLAB-ICPMS	09/04/2026	<0.01 ppm
Cd	AZLAB-ICPMS	09/04/2026	<0.01 ppm
Hg	AZLAB-ICPMS	09/04/2026	<0.01 ppm
Pb	AZLAB-ICPMS	09/04/2026	<0.01 ppm

Report Created: 09/14/2026

Note: Unless otherwise noted, the sample was received in good conditions. Results apply only to the sample tested. This test report is not to be reproduced, except in full, without prior written approval of the laboratory

7255 S Kyrene Rd Suite 103

Authorized:  Laboratory Director
Zhaoxing Shi

Report of Analysis

Serial Number: 26-09010

Customer: Best 365 Labs**AZ Lab Sample Number:** 2609010Product Name: Best365Labs TB500/BPC157 Powered by
MODS-Max 1 oz**Address:** 14857 S Concord Park Drive
Bluffdale, UT 84065Received Date: 2026-09-01
Lot Number: BL062625 MFG Date: May 2025


Batch Number:

Serving Size: 1 mL (20 drops)

Analyte	Method	Test Date	Value
TB500	AZLAB- HPLC	09/22/2026	1.28 mg/serving
BPC-157	AZLAB- HPLC	09/22/2026	500.49 mcg/serving

Report Created: 09/22/2026

Note: Unless otherwise noted, the sample was received in good conditions. Results apply only to the sample tested as received. This test report is not to be reproduced, except in full, without prior written approval of the laboratory. Serving size is provided by the customer and is used for final result calculation.

Authorized:  Laboratory Director
Zhaoxing Shi